NOT USED 21

Scale= NTS A-404

WALL BASE 14



Scale= 3" = 1'-0" A-404

PLAN SECTION WALL DETAIL 11



Scale= 3" = 1'-0" A-404

WALL BASE @ COOLER 7



Scale= 3" = 1'-0" A-404

CURB DETAIL 4



Scale= 1" = 1'-0" A-404

MANAGER CABINET STATION CURB SIZES REFER FLR. PLAN FOR LOCATION

1) IF CABINET IS ENCLOSED BY 3 SIDE OF WALLS:
8" H X 24" W X 48-1/2" L (CONCRETE CURB ONLY, NOT INCLUDE SEAMLESS BASE)
SEAMLESS SYSTEM ON FRONT FACE (EXPOSED CURB). THIS APPLY TO PROTOTYPE BUILDING LAYOUTS.

2) IF CABINET ENCLOSED BY ONLY (1) ONE WALL:
8" H X 24" W X 46" L (CONCRETE CURB ONLY, NOT INCLUDE SEAMLESS BASE)
SEAMLESS SYSTEM ON FRONT AND (1) SIDE FACE (EXPOSED CURB)

3) IF CABINET OPEN WITH NO WALLS:
8" H X 24" W X 46" L (CONCRETE CURB ONLY, NOT INCLUDE SEAMLESS BASE)
SEAMLESS SYSTEM ON ALL 3 SIDES OF THE CURB



MGR. STATION & SAFE CURB 20

Scale= 1" = 1'-0" A-404

PARTITION DETAILS 10



PARTITION PERPENDICULAR TO TRUSSES

HEIGHT	METAL STUD SIZE & SPACING
UP TO 12'-0"	1½"x3½"x20Ga @ 16" O.C.
SPACING LENGTH	SIZE
6'-0" OR UNDER	3½"x20Ga
6'-1" TO 8'-0"	4"x20Ga

1. STRUCTURAL MEMBER ABOVE
2. BRACING @ 4'-0" O.C. STAGGERED W/ #10 EA. END
3. 20 Ga. CONT. TRACK W/ 8# SCREW/STUD
4. METAL STUDS (SEE SCHEDULE)
5. SEE ARCHITECTURAL FOR FINISH
6. CONT. 20 Ga. UNPUNCHED TRACK (1 1/16" FLANGE)
7. CONCRETE SLAB
8. HILTI POWDER ACTUATED FASTENER .145 Ø x 1 1/2" PENETRATION @ 32" O.C. OR EQUAL
9. 18 Ga. UNPUNCHED 3" DEEP LEG TRACK W/ 3 #10 SCREWS
10. #8 SCREW PER STUD TYPICAL CONNECTION EA. FLANGE OF STUD TO STEEL TRACK (TOP & BOTT. TRACK)



PARTITION PARALLEL TO TRUSSES

Scale= 3/4" = 1'-0" A-404





S.S. DETAIL @ EXHAUST HOOD 6

Scale= 1/2" = 1'-0" A-404



WALL BASE @ COOLER 3

Scale= 3" = 1'-0" A-404



NOTE:
G.C. TO REFER CORE DRILL LOCATION ON SHEET A-109



STANDARD CORE DRILL TABLE 17

NTS A-404



OUTSIDE CORNER ISOMETRIC 13

Scale= 3/4" = 1'-0" A-404

NOT USED 9

Scale= 3/4" = 1'-0" A-404



TYPICAL WALL BASE 12

Scale= 3" = 1'-0" A-404



S.S. DETAIL @ COOLER / FREEZER 8

Scale= 1/2" = 1'-0" A-404



INTERIOR DOOR HEADER/JAMB 5

Scale= 3" = 1'-0" A-404



SERVICE COUNTER END DETAIL 1

Scale= 1 1/2" = 1'-0" A-404

PANDA EXPRESS, INC.
1683 Walnut Grove Ave.
Rosemead, California
91770
Telephone: 626.799.9898
Facsimile: 626.372.8288

All ideas, designs, arrangement and plans indicated or represented by this drawing are the property of Panda Express Inc. and were created for use on this specific project. None of these ideas, designs, arrangements or plans may be used by or disclosed to any person, firm, or corporation without the written permission of Panda Express Inc.

REVISIONS:

ISSUE DATE:

1	BID SET	2023-05-02

DRAWN BY:

PANDA PROJECT #: S4-24-D22020

ARCH PROJECT #: P7377

cph
www.cphcorp.com
A Full Service A & E Firm

Plans Prepared By
CPH, LLC.
500 West Fulton St.
Sanford, FL 32771
Ph: 407.322.6841
Licenses:
Eng. C.O.A. No. 3215
Survey L.B. No. 7143
Arch. Lic. No. AA2600926
Lndscp. Lic. No. LC0000298

STATE OF FLORIDA
JOHN M. LENTI
AR100548
REGISTERED ARCHITECT

PANDA EXPRESS

PANDA END CAP
3301 W HILLSBORO BLVD
DEERFIELD BEACH, FL 33442

A-404

ARCHITECTURAL DETAILS

PANDA HOME 2600 R4/DAB